

Beam Clip (Knock on clip)


- Permits fast & easy installation on bulb tees & beams
- Simply installed with a hammer
- Perfect for suspending wire & chain
- Available in Eaton branded Merchandising Bags



F
mm



M-Range



78101103897	BE12	2 - 3	70KG	25	✓
78101103898	BE24	3 - 8	90KG	25	✓
78101103899	BE58	8 - 14	90KG	25	✓
78101103901	BE912	14 - 20	90KG	25	✓



Beam to Threaded Rod Hanger

- Permits fast & easy installation to suspend wire or plain & threaded rod from beam flanges
- Simply installed with a hammer
- Available in Eaton branded Merchandising Bags




F
mm

Ø
mm



M-Range



78101103694	BH5E58	8 - 14	11mm (nut required)	25	
78101104099	BH4E12	2 - 3	M6	25	
78101103683	BH4E24	3 - 8	M6	25	✓
78101103684	BH4E58	8 - 14	M6	25	✓
78101103685	BH4E912	14 - 20	M6	25	✓
78101103687	BMH8E24	3 - 8	M8	25	✓
78101103688	BMH8E58	8 - 14	M8	25	✓
78101103691	BMH10E58	8 - 14	M10	25	
78101103675	BH14E24	3 - 8	M8	25	




Beam to Conduit Hanger - 360 Degree Rotation

- Quickly attaches conduit to beams
- Fasteners will rotate 360 degrees
- Simply install with a hammer



F
mm

Ø
mm



78101104011	BP8E24	3 - 8	18 - 22mm (Horizontal or Vertical)	25	
78101103902	BP8E58	8 - 14	18 - 22mm (Horizontal or Vertical)	25	
78101103906	BP12E58	8 - 14	22 - 30mm (Horizontal or Vertical)	25	
78101103907	BP12E912	14 - 20	22 - 30mm (Horizontal or Vertical)	25	





Beam to Conduit Hanger - Horizontal

- Unique fastener provides for fast & easy installation
- Fasteners will rotate 360 degrees
- Simply installed with a hammer & pliers

					F mm	Ø mm	
	78101103958	BG812U24	3 - 8	18 - 27mm (Horizontal)	25		
	78101103959	BG812U58	8 - 14	18 - 27mm (Horizontal)	25		
	78101103961	BG812U912	8 - 14	18 - 27mm (Horizontal)	25		
	78101103962	BG16U24	14 - 20	30 - 35mm (Horizontal)	25		
	78101103945	BP8U58	8 - 14	18 - 22mm (Horizontal)	25		
	78101103948	BP12U58	8 - 14	22 - 30mm (Horizontal)	25		



Beam to Conduit Hanger - 360 Degree Rotation

- Unique fastener provides for fast & easy installation
- Fasteners will rotate 360 degrees
- Simply installed with a hammer & pliers

					F mm	Ø mm	
	78101103923	BG812E24	3 - 8	18 - 27mm (Horizontal or Vertical)	25		
	78101103924	BG812E58	8 - 14	18 - 27mm (Horizontal or Vertical)	25		
	78101103925	BG812E912	14 - 20	18 - 27mm (Horizontal or Vertical)	25		
	78101103927	BG16E58	8 - 14	27 - 35mm (Horizontal or Vertical)	25		



Beam to Conduit Hanger Reverse - Horizontal

- Quickly attaches conduit to beams
- Fasteners will rotate 360 degrees
- Simply install with a hammer
- Allows installation from above the beam

					F mm	Ø mm	
	78101103913	BP8E58R	8 - 14	18 - 22mm (Horizontal or Vertical)	25		
	78101103914	BP8E912R	14 - 20	18 - 22mm (Horizontal or Vertical)	25		
	78101103917	BP12E58R	8 - 14	18 - 22mm (Horizontal or Vertical)	25		
	78101103918	BP12E912R	14 - 20	18 - 22mm (Horizontal or Vertical)	25		



Beam to Cable Tie Clip


- Supports cable ties up to 48mm
- Simply installed with a hammer
- Cable ties NOT INCLUDED



F
mm



M-Range



78101104091	BE24CT	3 - 8	25	✓
78101104092	BE58CT	8 - 14	25	✓
78101104093	BE912CT	14 - 20	25	✓




Beam to Cable Tie Clip (Cable Tie Included)


- Supports cable ties up to 48mm
- Simply installed with a hammer
- Cable ties INCLUDED



F
mm



78101104089	BE12CT2	2 - 3	25	
78101103771	BE24CT2	3 - 8	25	
78101103772	BE58CT2	8 - 14	25	
78101103773	BE912CT2	14 - 20	25	




Beam to Cable Tie Clip - Reverse (Cable Tie Included)

- Supports cable ties up to 48mm
- Simply installed with a hammer
- Cable ties INCLUDED
- Reverse feature allows installation under the beam



F
mm



78101103775	BE58CT2R	8 - 14	25	
78101103776	BE912CT2R	14 - 20	25	











Beam Clips

Edge Clip / S-Clip







- Secures cable along flanges
- Large range of sizes available
- Attach the BFA range to increase flange thickness
- Simply installed with a hammer
- Horizontal
- M-Range items come in bags of 25 pieces


		I			F mm	\emptyset mm	 M-Range
	78101119973	BXS67	2 - 4	6 - 7	100		
	78101119974	BXS89	2 - 4	8 - 9	100	✓	
	78101119975	BXS1011	2 - 4	10 - 11	100	✓	
	78101119976	BXS1214	2 - 4	12 - 14	100	✓	
	78101119977	BXS1519	2 - 4	15 - 19	100	✓	
	78101119978	BXS2024	2 - 4	20 - 24	100	✓	
	78101119979	BXS2530	2 - 4	25 - 30	100	✓	
	78101119980	BXM67	4 - 7	6 - 7	100		
	78101119981	BXM89	4 - 7	8 - 9	100	✓	
	78101119982	BXM1011	4 - 7	10 - 11	100	✓	
	78101119983	BXM1214	4 - 7	12 - 14	100	✓	
	78101119984	BXM1519	4 - 7	15 - 19	100	✓	
	78101119985	BXM2024	4 - 7	20 - 24	100	✓	
	78101119986	BXM2530	4 - 7	25 - 30	100	✓	
	78101119987	BXL67	8 - 12	6 - 7	100		
	78101119988	BXL89	8 - 12	8 - 9	100	✓	
	78101119989	BXL1011	8 - 12	10 - 11	100	✓	
	78101119990	BXL1214	8 - 12	12 - 14	100	✓	
	78101119991	BXL1519	8 - 12	15 - 19	100	✓	
	78101119992	BXL2024	8 - 12	20 - 24	100	✓	
78101119993	BXL2530	8 - 12	25 - 30	100	✓		



Edge Clip Adaptor (Must use BXS Range)







- Use alongside BXS range to increase flange thickness
- Simply installed with a hammer
- M-Range items come in bags of 25 pieces


		I			F mm	 M-Range
	78101119955	BFA1215	12 - 15	USE +BXS RANGE	100	✓
	78101119956	BFA1520	15 - 20	USE +BXS RANGE	100	✓



Cable Clip







- Secures cable along flanges
- Simply installed with a hammer


					\emptyset mm	L mm	
					20	48	100



Beam Clip to Multicable holder






- Allows for multiple cables to be installed across a single beam
- 75mm in length
- Simply installed with a hammer


					F mm	
					3 - 8	25
					8 - 14	25
					14 - 20	25



Beam Clip

- Suspend boxes or fixtures from beam flanges
- Provided with thread impression to allow for quick & secure attachment
- Simply installed with a hammer







				F mm		M-Range
				3 - 8	25	✓
				8 - 14	25	✓
				14 - 20	25	






Beam Clip (Including M6 Nut)

- Suspend boxes or fixtures from beam flanges
- Provided with thread impression to allow for quick & secure attachment
- Comes with M6 nut for easy installation
- Simply installed with a hammer






F
mm
 
M-Range










78101103941	BMU24S	3 - 8	25	✓
78101103942	BMU58S	8 - 14	25	✓
78101103943	BMU912S	14 - 20	25	



Beam Clamp

- Clamps to a maximum beam of 18mm
- Various holes to mount rod, conduit & electrical boxes
- 11mm hole for vertical hanging. Nut required






F
mm
 
M-Range











78101103640	BC1	<18	25	✓
-------------	-----	-----	----	---



Beam Clamp

- Clamps to a various sizes of beams
- Various size holes (threaded & unthreaded) available
- Heavy duty clamp allows for heavy loads






F **Ø**
mm mm
 




78101197320	BC08	<18	9mm (nut required)	120KG	50
7810119938	BC10	<19	11mm (nut required)	240KG	50
7810119939	BC12	<23	13mm (nut required)	340KG	50
78101197322	BMC08	<18	M8	120KG	50
78101197321	BMC10	<19	M10	240KG	50



Beam Clamp

- Clamps to a various sizes of beams
- Clamp available to be used with threaded rod or bridle rings
- Safety factor of 5
- Heavy duty clamp allows for heavy loads




F

mm

Ø

mm



145kg

78101119946	B444M10	<13	M10	50
-------------	---------	-----	-----	----



Beam Clamp

- Clamps to a various sizes of beams
- Clamp available to be used with threaded rod or bridle rings




F

mm

Ø

mm



33kg

78101103408	BMC442	3 - 16	M6	50
-------------	--------	--------	----	----



Beam Clamp / Conduit Hanger - Horizontal

- Clamps to a maximum beam of 18mm
- Used to hold conduit horizontally from the beam
- Various conduit sizes
- Fasteners will rotate 360 degrees



F

mm


Ø

mm



78101103641	BG812C2	<18	18 - 27mm (Horizontal)	25
-------------	---------	-----	---------------------------	----

78101103642	BG16C2	<18	27 - 35mm (Horizontal)	25
-------------	--------	-----	---------------------------	----



360°

45kg

